

ZISTOSH^{HD}

PORTABLE VIDEO SYSTEMS



HD TACTICAL CATALOG



HD Tactical Systems

NOTE: Link on each page to return to Table of Content



MOTORIZED POLE SYSTEMS

TABLET	CAMERA	16FT SYSTEM POLE	10FT SYSTEM POLE
5" RUGGED TABLET	Ultra-Low Light BW Compact BW Dual Mode Thermal 10X IR Zoom	HDTS-5AR-MC16-2.0UIR HDTS-5AR-MC16-2.0IR HDTS-5AR-MC16-2.0D HDTS-5AR-MC16-2.5ZIR	HDTS-5AR-MC10-2.0UIR HDTS-5AR-MC10-2.0IR HDTS-5AR-MC10-2.0D HDTS-5AR-MC10-2.5ZIR
5" TABLET	Ultra-Low Light BW Compact BW Dual Mode Thermal 10Z IR Zoom	HDTS-5AB-MC16-2.0UIR HDTS-5AB-MC16-2.0IR HDTS-5AB-MC16-2.0D HDTS-5AB-MC16-2.5ZIR	HDTS-5AB-MC10-2.0UIR HDTS-5AB-MC10-2.0IR HDTS-5AB-MC10-2.0D HDTS-5AB-MC10-2.5ZIR
10" RUGGED TABLET	Ultra-Low Light BW Compact BW Dual Mode Thermal 10Z IR Zoom	HDTS-10A-MC16-2.0UIR HDTS-10A-MC16-2.0IR HDTS-10A-MC16-2.0D HDTS-10A-MC16-2.5ZIR	HDTS-10A-MC10-2.0UIR HDTS-10A-MC10-2.0IR HDTS-10A-MC10-2.0D HDTS-10A-MC10-2.5ZIR

FRICTION HINGE POLE SYSTEMS

TABLET	CAMERA	17FT SYSTEM POLE	11FT SYSTEM POLE
5" RUGGED TABLET	Ultra-Low Light BW Compact BW Dual Mode Thermal 10Z IR Zoom	HDTS-5AR-FC17-2.0UIR HDTS-5AR-FC17-2.0IR HDTS-5AR-FC17-2.0D HDTS-5AR-FC17-2.5ZIR	HDTS-5AR-FC11-2.0UIR HDTS-5AR-FC11-2.0IR HDTS-5AR-FC11-2.0D HDTS-5AR-FC11-2.5ZIR
5" TABLET	Ultra-Low Light BW Compact BW Dual Mode Thermal 10Z IR Zoom	HDTS-5AB-FC17-2.0UIR HDTS-5AB-FC17-2.0IR HDTS-5AB-FC17-2.0D HDTS-5AB-FC17-2.5ZIR	HDTS-5AB-FC11-2.0UIR HDTS-5AB-FC11-2.0IR HDTS-5AB-FC11-2.0D HDTS-5AB-FC11-2.5ZIR
10" RUGGED TABLET	Ultra-Low Light BW Compact BW Dual Mode Thermal 10Z IR Zoom	HDTS-10A-FC17-2.0UIR HDTS-10A-FC17-2.0IR HDTS-10A-FC17-2.0D HDTS-10A-FC17-2.5ZIR	HDTS-10A-FC11-2.0UIR HDTS-10A-FC11-2.0IR HDTS-10A-FC11-2.0D HDTS-10A-FC11-2.5ZIR

UNDER DOOR SYSTEMS

TABLET	CAMERA	SYSTEM
5" RUGGED TABLET 5" TABLET	Dual View Under Door Dual View Under Door	HDTS-5AR-ZDV HDTS-5AB-ZDV

BATON SYSTEMS

TABLET	CAMERA	SYSTEM
5" RUGGED TABLET 5" TABLET	Compact BW Compact BW	HDTS-5AR-GC3-2.0IR HDTS-5AB-GC3-2.0IR

Mission Statement

Zistos is committed to the design, manufacture and sale of leading edge, portable video inspection solutions that enhance the safety and effectiveness of maintenance, tactical, rescue and search efforts.

Unparalleled Support

Zistos prides itself in providing customer support second to none. From sales support and expediting repairs, to customized engineered systems, Zistos is there to help in any and every possible way.

ZistosHD Modularity

The ZistosHD line of product continues with the same modular philosophy of all previous Zistos equipment. Modularity offers several advantages over fixed systems. It allows systems to be dynamically configuring in the field for the mission or task at hand. It allows systems to be expanded as new components become available. It allows for easy troubleshooting, repairing and swapping of components.

ZistosHD Advantages

The ZistosHD line uses high definition video, providing superb images over that of analog component video.

The ZistosHD line is primarily a wireless system, which makes the system more reliable and less cumbersome than a wired system. Although the wireless system uses state-of-the-art encryption, a wired option is still available for those applications that require it.

The wireless system allows for multiple monitors, so no additional components are necessary to add monitors, other than the monitors themselves. Monitors are available in a wide range of sizes to best suit the application.

The wireless system allows for many network configurations, such as adding into an existing command post or supervisor station, wiring them into a building's network or establishing a new private network.

The ZistosHD line uses state-of-the-art smart batteries with a built-in LCD battery gauge offering run times up to nine hours on a single charge.

The ZistosHD Handle, which is the center point of all ZistosHD systems, is ergonomically designed to hold and operate. All system functions can be controlled via the keypad on the Handle.

Tactical Systems

HDT5-5AR-MC16-2.0UIR / HDT5-5AR-MC10-2.0UIR



Motorized Tactical System, 5" Rugged Tablet, ULC Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AR-HD	5" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	8) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5AR-SB	Spare battery for the tablet	9) HDP-MC16 ³ or HDP-MC10	16ft System Motorized Pole ³ or 10ft System Motorized Pole
3) TABLET-5AR-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	10) ULC-2.0IR-HD	HD Ultra Low-light BW Camera with infrared illumination and microphone, 2" diameter
4) TABLET-5A-PM	Pole mount for the tablet (not shown)	11) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) TABLET-5A-WM	Wrist-mount for the tablet	12) WPH-USB	USB adapter cable for a wired connection to the tablet
6) WPH-HD	Wireless Pole Handle	13) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
7) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDT5-5AR-MC16-2.0UIR ¹	16ft (5M) Motorized Tactical System, 5" Rugged Tablet, Ultra Low-light BW Camera	6ft 4.9in (1.95M)	7.09lbs (3.22kg)
		16ft 2.5in (4.94M)	33.0lbs (15.0kg)
HDT5-5AR-MC10-2.0UIR ¹	10ft (3M) Motorized Tactical System, 5" Rugged Tablet, Ultra Low-light BW Camera	4ft 11.1in (1.50M)	6.24lbs (2.83kg)
		10ft 3.9in (3.15M)	32.2lbs (14.6kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AR-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
 3) HDP-MC16 must be disconnected from the Handle to store in the case
 4) Add .98lbs (.44kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDT5-5AR-MC16-2.0UIR / HDT5-5AR-MC10-2.0UIR

Accessories - 5AR

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-5AR-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDT5-5AR-MC16-2.0IR / HDT5-5AR-MC10-2.0IR



Motorized Tactical System, 5" Rugged Tablet, BW Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AR-HD	5" Rugged Tablet, power supply, 32GB removable uSD card and Micro USB cable	7) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹
2) TABLET-5AR-SB	Spare battery for the tablet	8) BAT-15XL, 2 pcs	Extended battery for the handle
3) TABLET-5AR-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	9) HDP-MC16 ³ or HDP-MC10	16ft System Motorized Pole ³ or 10ft System Motorized Pole
4) TABLET-5A-PM	Pole mount for the tablet (not shown)	10) WPC-2.0IR-HD	HD Compact BW Camera with infrared illumination, 2" diameter
5) TABLET-5A-WM	Wrist-mount for the tablet	11) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
6) WPH-HD	Wireless Pole Handle	12) WPH-USB	USB adapter cable for wired connection to tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDT5-5AR-MC16-2.0IR ¹	16ft (5M) Motorized Tactical System, 5" Rugged Tablet, BW Camera	6ft 2.4in (1.89M)	6.96lbs (3.16kg)
		16ft 0in (4.88M)	32.9lbs (14.9kg)
HDT5-5AR-MC10-2.0IR ¹	10ft (3M) Motorized Tactical System, 5" Rugged Tablet, BW Camera	4ft 8.6in (1.44M)	6.11lbs (2.77kg)
		10ft 1.4in (3.08M)	32.0lbs (14.5kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AR-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
3) HDP-MC16 must be disconnected from the Handle to store in the case
4) Add .98lbs (.44kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDT5-5AR-MC16-2.0IR / HDT5-5AR-MC10-2.0IR

Accessories - 5AR

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-5AR-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables


MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTS-5AR-MC16-2.0D / HDTS-5AR-MC10-2.0D



Motorized Tactical System, 5" Rugged Tablet, Thermal Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AR-HD	5" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	8) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5AR-SB	Spare battery for the tablet	9) HDP-MC16 ³ or HDP-MC10	16ft System Motorized Pole ³ or 10ft System Motorized Pole
3) TABLET-5AR-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	10) THC-51D-HD	HD Dual Mode Thermal and BW Camera with infrared illumination
4) TABLET-5A-PM	Pole mount for the tablet (not shown)	11) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) TABLET-5A-WM	Wrist-mount for the tablet	12) WPH-USB	USB adapter cable for a wired connection to the tablet
6) WPH-HD	Wireless Pole Handle	13) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
7) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDTS-5AR-MC16-2.0D ¹	16ft (5M) Motorized Tactical System, 5" Rugged Tablet, Thermal Camera	6ft 4.9in (1.95M)	7.20lbs (3.27kg)
		16ft 2.5in (4.94M)	33.1lbs (15.0kg)
HDTS-5AR-MC10-2.0D ¹	10ft (3M) Motorized Tactical System, 5" Rugged Tablet, Thermal Camera	4ft 11.1in (1.50M)	6.35lbs (2.88kg)
		10ft 3.9in (3.15M)	32.3lbs (14.6kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AR-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery

3) HDP-MC16 must be disconnected from the Handle to store in the case

4) Add .98lbs (.44kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDTS-5AR-MC16-2.0D / HDTS-5AR-MC10-2.0D

Accessories - 5AR

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-5AR-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDT5-5AR-MC16-2.5ZIR / HDT5-5AR-MC10-2.5ZIR



Motorized Tactical System, 5" Rugged Tablet, Zoom Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AR-HD	5" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	8) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5AR-SB	Spare battery for the tablet	9) HDP-MC16 ³ or HDP-MC10	16ft System Motorized Pole ³ or 10ft System Motorized Pole
3) TABLET-5AR-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	10) WPC-2.5ZIR-HD	HD 10X Zoom Camera with infrared illumination and microphone, 2.75" diameter
4) TABLET-5A-PM	Pole mount for the tablet (not shown)	11) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) TABLET-5A-WM	Wrist-mount for the tablet	12) WPH-USB	USB adapter cable for a wired connection to the tablet
6) WPH-HD	Wireless Pole Handle	13) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
7) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDT5-5AR-MC16-2.5ZIR ¹	16ft (5M) Motorized Tactical System, 5" Rugged Tablet, 10X IR Zoom Day/Night Camera	6ft 4.9in (1.95M) 16ft 2.5in (4.94M)	7.34lbs (3.33kg) 33.3lbs (15.1kg)
HDT5-5AR-MC10-2.5ZIR ¹	10ft (3M) Motorized Tactical System, 5" Rugged Tablet, 10X IR Zoom Day/Night Camera	4ft 11.1in (1.50M) 10ft 3.9in (3.15M)	6.49lbs (2.94kg) 32.4lbs (14.7kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AR-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
 3) HDP-MC16 must be disconnected from the Handle to store in the case
 4) Add .98lbs (.44kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDT5-5AR-MC16-2.5ZIR / HDT5-5AR-MC10-2.5ZIR

Accessories - 5AR

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-5AR-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTS-5AB-MC16-2.0UIR / HDTS-5AB-MC10-2.0UIR



Motorized Tactical System, 5" Tablet, ULC Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AB-HD	5" Tablet, power supply, 32GB removable uSD card and Micro USB cable and earbuds	6) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5A-PM	Pole mount for the tablet (not shown)	7) HDP-MC16 ³ or HDP-MC10	16ft System Motorized Pole ³ or 10ft System Motorized Pole
3) TABLET-5A-WM	Wrist-mount for the tablet	8) ULC-2.0IR-HD	HD Ultra Low-light BW Camera with infrared illumination and microphone, 2" diameter
4) WPH-HD	Wireless Pole Handle	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	10) WPH-USB	USB adapter cable for a wired connection to the tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDTS-5AB-MC16-2.0UIR ¹	16ft (5M) Motorized Tactical System, 5" Tablet, Ultra Low-light BW Camera	6ft 4.9in (1.95M)	7.09lbs (3.22kg)
		16ft 2.5in (4.94M)	30.9lbs (14.0kg)
HDTS-5AB-MC10-2.0UIR ¹	10ft (3M) Motorized Tactical System, 5" Tablet, Ultra Low-light BW Camera	4ft 11.1in (1.50M)	6.24lbs (2.83kg)
		10ft 3.9in (3.15M)	30.1lbs (13.6kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AB-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
3) HDP-MC16 must be disconnected from the Handle to store in the case
4) Add .64lbs (.29kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDS-5AB-MC16-2.0UIR / HDS-5AB-MC10-2.0UIR

Accessories - 5AB

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDT5-5AB-MC16-2.0IR / HDT5-5AB-MC10-2.0IR



Motorized Tactical System, 5" Tablet, BW Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AB-HD	5" Tablet, power supply, 32GB removable USD card and Micro USB cable and earbuds	6) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5A-PM	Pole mount for the tablet (not shown)	7) HDP-MC16 ³ or HDP-MC10	16ft System Motorized Pole ³ or 10ft System Motorized Pole
3) TABLET-5A-WM	Wrist-mount for the tablet	8) WPC-2.0IR-HD	HD Compact BW Camera with infrared illumination, 2" diameter
4) WPH-HD	Wireless Pole Handle	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	10) WPH-USB	USB adapter cable for a wired connection to the tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDT5-5AB-MC16-2.0IR ¹	16ft (5M) Motorized Tactical System, 5" Tablet, BW Camera	6ft 2.4in (1.89M)	6.96lbs (3.16kg)
		16ft 0in (4.88M)	30.8lbs (14.0kg)
HDT5-5AB-MC10-2.0IR ¹	10ft (3M) Motorized Tactical System, 5" Tablet, BW Camera	4ft 8.6in (1.44M)	6.11lbs (2.77kg)
		10ft 1.4in (3.08M)	29.9lbs (13.6kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AB-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
3) HDP-MC16 must be disconnected from the Handle to store in the case
4) Add .64lbs (.29kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDT5-5AB-MC16-2.0IR / HDT5-5AB-MC10-2.0IR

Accessories - 5AB

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDT5-5AB-MC16-2.0D / HDT5-5AB-MC10-2.0D



Motorized Tactical System, 5" Tablet, Thermal Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AB-HD	5" Tablet, power supply, 32GB removable uSD card and Micro USB cable and earbuds	6) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5A-PM	Pole mount for the tablet (not shown)	7) HDP-MC16 ³ or HDP-MC10	16ft System Motorized Pole ³ or 10ft System Motorized Pole
3) TABLET-5A-WM	Wrist-mount for the tablet	8) THC-51D-HD	HD Dual Mode Thermal and BW Camera with infrared illumination
4) WPH-HD	Wireless Pole Handle	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	10) WPH-USB	USB adapter cable for a wired connection to the tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDT5-5AB-MC16-2.0D ¹	16ft (5M) Motorized Tactical System, 5" Tablet, Thermal Camera	6ft 4.9in (1.95M) 16ft 2.5in (4.94M)	7.20lbs (3.27kg) 31.0lbs (14.1kg)
HDT5-5AB-MC10-2.0D ¹	10ft (3M) Motorized Tactical System, 5" Tablet, Thermal Camera	4ft 11.1in (1.50M) 10ft 3.9in (3.15M)	6.35lbs (2.88kg) 30.2lbs (13.7kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AB-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
3) HDP-MC16 must be disconnected from the Handle to store in the case
4) Add .64lbs (.29kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDT5-5AB-MC16-2.0D / HDT5-5AB-MC10-2.0D

Accessories - 5AB

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDT5-5AB-MC16-2.5ZIR / HDT5-5AB-MC10-2.5ZIR



Motorized Tactical System, 5" Tablet, Zoom Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AB-HD	5" Tablet, power supply, 32GB removable uSD card and Micro USB cable and earbuds	6) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5A-PM	Pole mount for the tablet (not shown)	7) HDP-MC16 ³ or HDP-MC10	16ft System Motorized Pole ³ or 10ft System Motorized Pole
3) TABLET-5A-WM	Wrist-mount for the tablet	8) WPC-2.5ZIR-HD	HD 10X Zoom Camera with infrared illumination and microphone, 2.75" diameter
4) WPH-HD	Wireless Pole Handle	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	10) WPH-USB	USB adapter cable for a wired connection to the tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDT5-5AB-MC16-2.5ZIR	16ft (5M) Motorized Tactical System, 5" Tablet, 10X IR Zoom Day/Night Camera	6ft 4.9in (1.95M)	7.34lbs (3.33kg)
		16ft 2.5in (4.94M)	31.2lbs (14.1kg)
HDT5-5AB-MC10-2.5ZIR	10ft (3M) Motorized Tactical System, 5" Tablet, 10X IR Zoom Day/Night Camera	4ft 11.1in (1.50M)	6.49lbs (2.94kg)
		10ft 3.9in (3.15M)	30.3lbs (13.7kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AB-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
3) HDP-MC16 must be disconnected from the Handle to store in the case
4) Add .64lbs (.29kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDS-5AB-MC16-2.5ZIR / HDS-5AB-MC10-2.5ZIR

Accessories - 5AB

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTs-10A-MC16-2.0UIR / HDTs-10A-MC10-2.0UIR



Motorized Tactical System, 10" Rugged Tablet, ULC Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-10A-HD	10" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	7) HDP-MC16 ³ or HDP-MC10	16ft System Motorized Pole ³ or 10ft System Motorized Pole
2) TABLET-10A-SB	Spare battery for the tablet	8) ULC-2.0IR-HD	HD Ultra Low-light BW Camera with infrared illumination and microphone, 2" diameter
3) TABLET-10A-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
4) WPH-HD	Wireless Pole Handle	10) WPH-USB	USB adapter cable for a wired connection to the tablet
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	11) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
6) BAT-15XL, 2 pcs	Extended battery for the handle		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT PACKED CASE WEIGHT
HDTs-10A-MC16-2.0UIR ¹	16ft (5M) Motorized Tactical System, 10" Rugged Tablet, Ultra Low-light BW Camera	6ft 4.9in (1.95M)	7.09lbs (3.22kg)
		16ft 2.5in (4.94M)	34.3lbs (15.5kg)
HDTs-10A-MC10-2.0UIR ¹	10ft (3M) Motorized Tactical System, 10" Rugged Tablet, Ultra Low-light BW Camera	4ft 11.1in (1.50M)	6.24lbs (2.83kg)
		10ft 3.9in (3.15M)	33.4lbs (15.2kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-10A-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
 3) HDP-MC16 must be disconnected from the Handle to store in the case

Tactical System Options

HDS-10A-MC16-2.0UIR / HDS-10A-MC10-2.0UIR

Accessories - 10A

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-10A-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTs-10A-MC16-2.0IR / HDTs-10A-MC10-2.0IR



Motorized Tactical System, 10" Rugged Tablet, BW Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-10A-HD	10" Rugged Tablet, power supply, 32GB removable uSD card and Micro USB cable	6) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-10A-SB	Spare battery for the tablet	7) HDP-MC16 ³ or HDP-MC10	16ft System Motorized Pole ³ or 10ft System Motorized Pole
3) TABLET-10A-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	8) WPC-2.0IR-HD	HD Compact BW Camera with infrared illumination, 2" diameter
4) WPH-HD	Wireless Pole Handle	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	10) WPH-USB	USB adapter cable for wired connection to tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT PACKED CASE WEIGHT
HDTs-10A-MC16-2.0IR ¹	16ft (5M) Motorized Tactical System, 10" Rugged Tablet, BW Camera	6ft 2.4in (1.89M)	6.96lbs (3.16kg)
		16ft 0in (4.88M)	34.1lbs (15.5kg)
HDTs-10A-MC10-2.0IR ¹	10ft (3M) Motorized Tactical System, 10" Rugged Tablet, BW Camera	4ft 8.6in (1.44M)	6.11lbs (2.77kg)
		10ft 1.4in (3.08M)	33.3lbs (15.1kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-10A-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
 3) HDP-MC16 must be disconnected from the Handle to store in the case

Tactical System Options

HDTs-10A-MC16-2.0IR / HDTs-10A-MC10-2.0IR

Accessories - 10A

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-10A-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDS-10A-MC16-2.0D / HDS-10A-MC10-2.0D



Motorized Tactical System, 10" Rugged Tablet, Thermal Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-10A-HD	10" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	7) HDP-MC16 ³ or HDP-MC10	16ft System Motorized Pole ³ or 10ft System Motorized Pole
2) TABLET-10A-SB	Spare battery for the tablet	8) THC-51D-HD	HD Dual Mode Thermal and BW Camera with infrared illumination
3) TABLET-10A-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
4) WPH-HD	Wireless Pole Handle	10) WPH-USB	USB adapter cable for a wired connection to the tablet
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	11) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
6) BAT-15XL, 2 pcs	Extended battery for the handle		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT PACKED CASE WEIGHT
HDS-10A-MC16-2.0D ¹	16ft (5M) Motorized Tactical System, 10" Rugged Tablet, Thermal Camera	6ft 4.9in (1.95M)	7.20lbs (3.27kg)
		16ft 2.5in (4.94M)	34.4lbs (15.6kg)
HDS-10A-MC10-2.0D ¹	10ft (3M) Motorized Tactical System, 10" Rugged Tablet, Thermal Camera	4ft 11.1in (1.50M)	6.35lbs (2.88kg)
		10ft 3.9in (3.15M)	33.5lbs (15.2kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-10A-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
 3) HDP-MC16 must be disconnected from the Handle to store in the case

Tactical System Options

HDS-10A-MC16-2.0D / HDS-10A-MC10-2.0D

Accessories - 10A

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-10A-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables


MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDS-10A-MC16-2.5ZIR / HDS-10A-MC10-2.5ZIR



Motorized Tactical System, 10" Rugged Tablet, Zoom Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-10A-HD	10" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	7) HDP-MC16 ³ or HDP-MC10	16ft System Motorized Pole ³ or 10ft System Motorized Pole
2) TABLET-10A-SB	Spare battery for the tablet	8) WPC-2.5ZIR-HD	HD 10X Zoom Camera with infrared illumination and microphone, 2.75" diameter
3) TABLET-10A-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
4) WPH-HD	Wireless Pole Handle	10) WPH-USB	USB adapter cable for a wired connection to the tablet
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	11) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
6) BAT-15XL, 2 pcs	Extended battery for the handle		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDS-10A-MC16-2.5ZIR ¹	16ft (5M) Motorized Tactical System, 10" Rugged Tablet, 10X IR Zoom Day/Night Camera	6ft 4.9in (1.95M)	7.34lbs (3.33kg)
		16ft 2.5in (4.94M)	34.5lbs (15.7kg)
HDS-10A-MC10-2.5ZIR ¹	10ft (3M) Motorized Tactical System, 10" Rugged Tablet, 10X IR Zoom Day/Night Camera	4ft 11.1in (1.50M)	6.49lbs (2.94kg)
		10ft 3.9in (3.15M)	33.7lbs (15.3kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-10A-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
 3) HDP-MC16 must be disconnected from the Handle to store in the case

Tactical System Options

HDT5-10A-MC16-2.5ZIR / HDT5-10A-MC10-2.5ZIR

Accessories - 10A

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-10A-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables


MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTS-5AR-FC17-2.0UIR / HDTS-5AR-FC11-2.0UIR



Friction Hinge Tactical System, 5" Rugged Tablet, ULC Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AR-HD	5" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	8) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5AR-SB	Spare battery for the tablet	9) HDP-FC17 ³ or HDP-FC11	17ft System Friction Hinge Pole ³ or 11ft System Friction Hinge Pole
3) TABLET-5AR-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	10) ULC-2.0IR-HD	HD Ultra Low-light BW Camera with infrared illumination and microphone, 2" diameter
4) TABLET-5A-PM	Pole mount for the tablet (not shown)	11) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) TABLET-5A-WM	Wrist-mount for the tablet	12) WPH-USB	USB adapter cable for a wired connection to the tablet
6) WPH-HD	Wireless Pole Handle	13) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
7) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDTS-5AR-FC17-2.0UIR ¹	17ft (5M) Friction Hinge Tactical System, 5" Rugged Tablet, Ultra Low-light BW Camera	6ft 5.4in (1.97M)	6.46lbs (2.93kg)
		17ft 4.4in (5.29M)	32.4lbs (14.7kg)
HDTS-5AR-FC11-2.0UIR ¹	11ft (3M) Friction Hinge Tactical System, 5" Rugged Tablet, Ultra Low-light BW Camera	4ft 11.6in (1.51M)	5.66lbs (2.57kg)
		11ft 5.3in (3.49M)	31.6lbs (14.3kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AR-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery

3) HDP-FC17 must be disconnected from the Handle to store in the case

4) Add .98lbs (.44kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDTS-5AR-FC17-2.0UIR / HDTS-5AR-FC11-2.0UIR

Accessories - 5AR

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-5AR-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-5ID-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDT5-5AR-FC17-2.0IR / HDT5-5AR-FC11-2.0IR



Friction Hinge Tactical System, 5" Rugged Tablet, BW Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AR-HD	5" Rugged Tablet, power supply, 32GB removable uSD card and Micro USB cable	7) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹
2) TABLET-5AR-SB	Spare battery for the tablet	8) BAT-15XL, 2 pcs	Extended battery for the handle
3) TABLET-5AR-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	9) HDP-FC17 ³ or HDP-FC11	17ft System Friction Hinge Pole ³ or 11ft System Friction Hinge Pole
4) TABLET-5A-PM	Pole mount for the tablet (not shown)	10) WPC-2.0IR-HD	HD Compact BW Camera with infrared illumination, 2" diameter
5) TABLET-5A-WM	Wrist-mount for the tablet	11) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
6) WPH-HD	Wireless Pole Handle	12) WPH-USB	USB adapter cable for wired connection to tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDT5-5AR-FC17-2.0IR ¹	17ft (5M) Friction Hinge Tactical System, 5" Rugged Tablet, BW Camera	6ft 2.9in (1.9M)	6.33lbs (2.87kg)
		17ft 1.9in (5.23M)	32.3lbs (14.6kg)
HDT5-5AR-FC11-2.0IR ¹	11ft (3M) Friction Hinge Tactical System, 5" Rugged Tablet, BW Camera	4ft 9.1in (1.45M)	5.53lbs (2.51kg)
		11ft 2.8in (3.42M)	31.5lbs (14.3kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AR-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
3) HDP-FC17 must be disconnected from the Handle to store in the case
4) Add .98lbs (.44kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDS-5AR-FC17-2.0IR / HDS-5AR-FC11-2.0IR

Accessories - 5AR

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-5AR-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTS-5AR-FC17-2.0D / HDTS-5AR-FC11-2.0D



Friction Hinge Tactical System, 5" Rugged Tablet, Thermal Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AR-HD	5" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	8) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5AR-SB	Spare battery for the tablet	9) HDP-FC17 ³ or HDP-FC11	17ft System Friction Hinge Pole ³ or 11ft System Friction Hinge Pole
3) TABLET-5AR-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	10) THC-51D-HD	HD Dual Mode Thermal and BW Camera with infrared illumination
4) TABLET-5A-PM	Pole mount for the tablet (not shown)	11) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) TABLET-5A-WM	Wrist-mount for the tablet	12) WPH-USB	USB adapter cable for a wired connection to the tablet
6) WPH-HD	Wireless Pole Handle	13) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
7) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDTS-5AR-FC17-2.0D ¹	17ft (5M) Friction Hinge Tactical System, 5" Rugged Tablet, Thermal Camera	6ft 5.4in (1.97M)	6.57lbs (2.98kg)
		17ft 4.4in (5.29M)	32.5lbs (14.7kg)
HDTS-5AR-FC11-2.0D ¹	11ft (3M) Friction Hinge Tactical System, 5" Rugged Tablet, Thermal Camera	4ft 11.6in (1.51M)	5.77lbs (2.62kg)
		11ft 5.3in (3.49M)	31.7lbs (14.4kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AR-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
 3) HDP-FC17 must be disconnected from the Handle to store in the case
 4) Add .98lbs (.44kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDTS-5AR-FC17-2.0D / HDTS-5AR-FC11-2.0D

Accessories - 5AR

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-5AR-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables


MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTS-5AR-FC17-2.5ZIR / HDTS-5AR-FC11-2.5ZIR



Friction Hinge Tactical System, 5" Rugged Tablet, Zoom Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AR-HD	5" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	8) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5AR-SB	Spare battery for the tablet	9) HDP-FC17 ³ or HDP-FC11	17ft System Friction Hinge Pole ³ or 11ft System Friction Hinge Pole
3) TABLET-5AR-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	10) WPC-2.5ZIR-HD	HD 10X Zoom Camera with infrared illumination and microphone, 2.75" diameter
4) TABLET-5A-PM	Pole mount for the tablet (not shown)	11) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) TABLET-5A-WM	Wrist-mount for the tablet	12) WPH-USB	USB adapter cable for a wired connection to the tablet
6) WPH-HD	Wireless Pole Handle	13) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
7) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDTS-5AR-FC17-2.5ZIR ¹	17ft (5M) Friction Hinge Tactical System, 5" Rugged Tablet, 10X IR Zoom Day/Night Camera	6ft 5.4in (1.97M)	6.71lbs (3.04kg)
		17ft 4.4in (5.29M)	32.6lbs (14.8kg)
HDTS-5AR-FC11-2.5ZIR ¹	11ft (3M) Friction Hinge Tactical System, 5" Rugged Tablet, 10X IR Zoom Day/Night Camera	4ft 11.6in (1.51M)	5.91lbs (2.68kg)
		11ft 5.3in (3.49M)	31.8lbs (14.4kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AR-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery

3) HDP-FC17 must be disconnected from the Handle to store in the case

4) Add .98lbs (.44kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDT5-5AR-FC17-2.5ZIR / HDT5-5AR-FC11-2.5ZIR

Accessories - 5AR

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-5AR-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTS-5AB-FC17-2.0UIR / HDTS-5AB-FC11-2.0UIR



Friction Hinge Tactical System, 5" Tablet, ULC Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AB-HD	5" Tablet, power supply, 32GB removable USD card and Micro USB cable and earbuds	6) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5A-PM	Pole mount for the tablet (not shown)	7) HDP-FC17 ³ or HDP-FC11	17ft System Friction Hinge Pole ³ or 11ft System Friction Hinge Pole
3) TABLET-5A-WM	Wrist-mount for the tablet	8) ULC-2.0IR-HD	HD Ultra Low-light BW Camera with infrared illumination and microphone, 2" diameter
4) WPH-HD	Wireless Pole Handle	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	10) WPH-USB	USB adapter cable for a wired connection to the tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDTS-5AB-FC17-2.0UIR ¹	17ft (5M) Friction Hinge Tactical System, 5" Tablet, Ultra Low-light BW Camera	6ft 5.4in (1.97M)	6.46lbs (2.93kg)
		17ft 4.4in (5.29M)	30.3lbs (13.7kg)
HDTS-5AB-FC11-2.0UIR ¹	11ft (3M) Friction Hinge Tactical System, 5" Tablet, Ultra Low-light BW Camera	4ft 11.6in (1.51M)	5.66lbs (2.57kg)
		11ft 5.3in (3.49M)	29.5lbs (13.4kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AB-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery

3) HDP-FC17 must be disconnected from the Handle to store in the case

4) Add .64lbs (.29kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDS-5AB-FC17-2.0UIR / HDS-5AB-FC11-2.0UIR

Accessories - 5AB

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDT5-5AB-FC17-2.0IR / HDT5-5AB-FC11-2.0IR



Friction Hinge Tactical System, 5" Tablet, BW Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AB-HD	5" Tablet, power supply, 32GB removable USD card and Micro USB cable and earbuds	6) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5A-PM	Pole mount for the tablet (not shown)	7) HDP-FC17 ³ or HDP-FC11	17ft System Friction Hinge Pole ³ or 11ft System Friction Hinge Pole
3) TABLET-5A-WM	Wrist-mount for the tablet	8) WPC-2.0IR-HD	HD Compact BW Camera with infrared illumination, 2" diameter
4) WPH-HD	Wireless Pole Handle	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	10) WPH-USB	USB adapter cable for a wired connection to the tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDT5-5AB-FC17-2.0IR ¹	17ft (5M) Friction Hinge Tactical System, 5" Tablet, BW Camera	6ft 2.9in (1.9M)	6.33lbs (2.87kg)
		17ft 1.9in (5.23M)	30.1lbs (13.7kg)
HDT5-5AB-FC11-2.0IR ¹	11ft (3M) Friction Hinge Tactical System, 5" Tablet, BW Camera	4ft 9.1in (1.45M)	5.53lbs (2.51kg)
		11ft 2.8in (3.42M)	29.3lbs (13.3kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AB-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
3) HDP-FC17 must be disconnected from the Handle to store in the case
4) Add .64lbs (.29kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDTS-5AB-FC17-2.0IR / HDTS-5AB-FC11-2.0IR

Accessories - 5AB

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTS-5AB-FC17-2.0D / HDTS-5AB-FC11-2.0D



Friction Hinge Tactical System, 5" Tablet, Thermal Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AB-HD	5" Tablet, power supply, 32GB removable uSD card and Micro USB cable and earbuds	6) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5A-PM	Pole mount for the tablet (not shown)	7) HDP-FC17 ³ or HDP-FC11	17ft System Friction Hinge Pole ³ or 11ft System Friction Hinge Pole
3) TABLET-5A-WM	Wrist-mount for the tablet	8) THC-51D-HD	HD Dual Mode Thermal and BW Camera with infrared illumination
4) WPH-HD	Wireless Pole Handle	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	10) WPH-USB	USB adapter cable for a wired connection to the tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED		ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDTS-5AB-FC17-2.0D ¹	17ft (5M) Friction Hinge Tactical System, 5" Tablet, Thermal Camera	6ft 5.4in (1.97M)	6.57lbs (2.98kg)	
		17ft 4.4in (5.29M)	30.4lbs (13.8kg)	
HDTS-5AB-FC11-2.0D ¹	11ft (3M) Friction Hinge Tactical System, 5" Tablet, Thermal Camera	4ft 11.6in (1.51M)	5.77lbs (2.62kg)	
		11ft 5.3in (3.49M)	29.6.lbs (13.4kg)	

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AB-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery

3) HDP-FC17 must be disconnected from the Handle to store in the case

4) Add .64lbs (.29kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDT5-5AB-FC17-2.0D / HDT5-5AB-FC11-2.0D

Accessories - 5AB

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDT5-5AB-FC17-2.5ZIR / HDT5-5AB-FC11-2.5ZIR



Friction Hinge Tactical System, 5" Tablet, Zoom Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AB-HD	5" Tablet, power supply, 32GB removable uSD card and Micro USB cable and earbuds	6) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5A-PM	Pole mount for the tablet (not shown)	7) HDP-FC17 ³ or HDP-FC11	17ft System Friction Hinge Pole ³ or 11ft System Friction Hinge Pole
3) TABLET-5A-WM	Wrist-mount for the tablet	8) WPC-2.5ZIR-HD	HD 10X Zoom Camera with infrared illumination and microphone, 2.75" diameter
4) WPH-HD	Wireless Pole Handle	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	10) WPH-USB	USB adapter cable for a wired connection to the tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ⁴ PACKED CASE WEIGHT
HDT5-5AB-FC17-2.5ZIR	17ft (5M) Friction Hinge Tactical System, 5" Tablet, 10X IR Zoom Day/Night Camera	6ft 5.4in (1.97M)	6.71lbs (3.04kg)
		17ft 4.4in (5.29M)	30.5lbs (13.8kg)
HDT5-5AB-FC11-2.5ZIR	11ft (3M) Friction Hinge Tactical System, 5" Tablet, 10X IR Zoom Day/Night Camera	4ft 11.6in (1.51M)	5.91lbs (2.68kg)
		11ft 5.3in (3.49M)	29.7lbs (13.5kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AB-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery

3) HDP-FC17 must be disconnected from the Handle to store in the case

4) Add .64lbs (.29kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDTS-5AB-FC17-2.5ZIR / HDTS-5AB-FC11-2.5ZIR

Accessories - 5AB

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTS-10A-FC17-2.0UIR / HDTS-10A-FC11-2.0UIR



Friction Hinge Tactical System, 10" Rugged Tablet, ULC Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-10A-HD	10" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	7) HDP-FC17 ³ or HDP-FC11	17ft System Friction Hinge Pole ³ or 11ft System Friction Hinge Pole
2) TABLET-10A-SB	Spare battery for the tablet	8) ULC-2.0IR-HD	HD Ultra Low-light BW Camera with infrared illumination and microphone, 2" diameter
3) TABLET-10A-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
4) WPH-HD	Wireless Pole Handle	10) WPH-USB	USB adapter cable for a wired connection to the tablet
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	11) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
6) BAT-15XL, 2 pcs	Extended battery for the handle		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT PACKED CASE WEIGHT
HDTS-10A-FC17-2.0UIR ¹	17ft (5M) Friction Hinge Tactical System, 10" Rugged Tablet, Ultra Low-light BW Camera	6ft 5.4in (1.97M)	6.46lbs (2.93kg)
		17ft 4.4in (5.29M)	33.6lbs (15.3kg)
HDTS-10A-FC11-2.0UIR ¹	11ft (3M) Friction Hinge Tactical System, 10" Rugged Tablet, Ultra Low-light BW Camera	4ft 11.6in (1.51M)	5.66lbs (2.57kg)
		11ft 5.3in (3.49M)	32.8lbs (14.9kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-10A-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
 3) HDP-FC17 must be disconnected from the Handle to store in the case

Tactical System Options

HDTS-10A-FC17-2.0UIR / HDTS-10A-FC11-2.0UIR

Accessories - 10A

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-10A-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTs-10A-FC17-2.0IR / HDTs-10A-FC11-2.0IR



Friction Hinge Tactical System, 10" Rugged Tablet, BW Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-10A-HD	10" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	6) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-10A-SB	Spare battery for the tablet	7) HDP-FC17 ³ or HDP-FC11	17ft System Friction Hinge Pole ³ or 11ft System Friction Hinge Pole
3) TABLET-10A-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	8) WPC-2.0IR-HD	HD Compact BW Camera with infrared illumination, 2" diameter
4) WPH-HD	Wireless Pole Handle	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	10) WPH-USB	USB adapter cable for wired connection to tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT PACKED CASE WEIGHT
HDTs-10A-FC17-2.0IR ¹	17ft (5M) Friction Hinge Tactical System, 10" Rugged Tablet, BW Camera	6ft 2.9in (1.9M)	6.33lbs (2.87kg)
		17ft 1.9in (5.23M)	33.5lbs (15.2kg)
HDTs-10A-FC11-2.0IR ¹	11ft (3M) Friction Hinge Tactical System, 10" Rugged Tablet, BW Camera	4ft 9.1in (1.45M)	5.53lbs (2.51kg)
		11ft 2.8in (3.42M)	32.7lbs (14.8kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-10A-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
3) HDP-FC17 must be disconnected from the Handle to store in the case

Tactical System Options

HDT5-10A-FC17-2.0IR / HDT5-10A-FC11-2.0IR

Accessories - 10A

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-10A-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDS-10A-FC17-2.0D / HDS-10A-FC11-2.0D



Friction Hinge Tactical System, 10" Rugged Tablet, Thermal Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-10A-HD	10" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	7) HDP-FC17 ³ or HDP-FC11	17ft System Friction Hinge Pole ³ or 11ft System Friction Hinge Pole
2) TABLET-10A-SB	Spare battery for the tablet	8) THC-51D-HD	HD Dual Mode Thermal and BW Camera with infrared illumination
3) TABLET-10A-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
4) WPH-HD	Wireless Pole Handle	10) WPH-USB	USB adapter cable for a wired connection to the tablet
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	11) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
6) BAT-15XL, 2 pcs	Extended battery for the handle		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT PACKED CASE WEIGHT
HDS-10A-FC17-2.0D ¹	17ft (5M) Friction Hinge Tactical System, 10" Rugged Tablet, Thermal Camera	6ft 5.4in (1.97M)	6.57lbs (2.98kg)
		17ft 4.4in (5.29M)	33.7lbs (15.3kg)
HDS-10A-FC11-2.0D ¹	11ft (3M) Friction Hinge Tactical System, 10" Rugged Tablet, Thermal Camera	4ft 11.6in (1.51M)	5.77lbs (2.62kg)
		11ft 5.3in (3.49M)	32.9lbs (14.9kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-10A-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
 3) HDP-FC17 must be disconnected from the Handle to store in the case

Tactical System Options

HDTS-10A-FC17-2.0D / HDTS-10A-FC11-2.0D

Accessories - 10A

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-10A-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTS-10A-FC17-2.5ZIR / HDTS-10A-FC11-2.5ZIR



Friction Hinge Tactical System, 10" Rugged Tablet, Zoom Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-10A-HD	10" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	7) HDP-FC17 ³ or HDP-FC11	17ft System Friction Hinge Pole ³ or 11ft System Friction Hinge Pole
2) TABLET-10A-SB	Spare battery for the tablet	8) WPC-2.5ZIR-HD	HD 10X Zoom Camera with infrared illumination and microphone, 2.75" diameter
3) TABLET-10A-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
4) WPH-HD	Wireless Pole Handle	10) WPH-USB	USB adapter cable for a wired connection to the tablet
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	11) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
6) BAT-15XL, 2 pcs	Extended battery for the handle		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT PACKED CASE WEIGHT
HDTS-10A-FC17-2.5ZIR ¹	17ft (5M) Friction Hinge Tactical System, 10" Rugged Tablet, 10X IR Zoom Day/Night Camera	6ft 5.4in (1.97M)	6.71lbs (3.04kg)
		17ft 4.4in (5.29M)	33.9lbs (15.4kg)
HDTS-10A-FC11-2.5ZIR ¹	11ft (3M) Friction Hinge Tactical System, 10" Rugged Tablet, 10X IR Zoom Day/Night Camera	4ft 11.6in (1.51M)	5.91lbs (2.68kg)
		11ft 5.3in (3.49M)	33.1lbs (15.0kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-10A-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
3) HDP-FC17 must be disconnected from the Handle to store in the case

Tactical System Options

HDTS-10A-FC17-2.5ZIR / HDTS-10A-FC11-2.5ZIR

Accessories - 10A

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-10A-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDTS-5AR-ZDV



Motorized Tactical System, 5" Rugged Tablet, ULC Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AR-HD	5" Rugged Tablet with standard battery, power supply, 32GB removable uSD card and Micro USB cable	8) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5AR-SB	Spare battery for the tablet	9) HDP-UDC	Under Door Camera Pole with universal joint
3) TABLET-5AR-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	10) ZDV-HD ³	HD Dual View Under Door Camera with infrared illumination and microphone
4) TABLET-5A-PM	Pole mount for the tablet (not shown)	11) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) TABLET-5A-WM	Wrist-mount for the tablet	12) WPH-USB	USB adapter cable for a wired connection to the tablet
6) WPH-HD	Wireless Pole Handle	13) BHP-EB	Bluetooth earbuds (w/5V USB PS & cable not shown)
7) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	14) VPC-6-HD	6ft (2M) Camera Cable to connect the camera directly to the handle

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ²	ASSEMBLED WEIGHT ⁴
		COLLAPSED/EXTENDED	PACKED CASE WEIGHT
HDTS-5AR-ZDV ¹	Under Door Tactical System, 5" Rugged Tablet	4ft 11in (1.50M)	6.13lbs (2.78kg)
		7ft 9in (2.36M)	32.1lbs (14.5kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AR-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
 3) ZDV-D must be disconnected from the HDP-UDC to store in the case

Tactical System Options

HDT5-5AR-ZDV

Accessories - 5AR

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-5AR-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDT5-5AB-ZDV



Motorized Tactical System, 5" Tablet, ULC Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AB-HD	5" Tablet, power supply, 32GB removable uSD card and Micro USB cable and earbuds	7) HDP-UDC	Under Door Camera Pole with universal joint
2) TABLET-5A-PM	Pole mount for the tablet (not shown)	8) ZDV-HD ³	HD Dual View Under Door Camera with infrared illumination and microphone
3) TABLET-5A-WM	Wrist-mount for the tablet	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
4) WPH-HD	Wireless Pole Handle	10) WPH-USB	USB adapter cable for a wired connection to the tablet
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	11) VPC-6-HD	6ft (2M) Camera Cable to connect the camera directly to the handle
6) BAT-15XL, 2 pcs	Extended battery for the handle		

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ²	ASSEMBLED WEIGHT ⁴
		COLLAPSED/EXTENDED	PACKED CASE WEIGHT
HDT5-5AB-ZDV ¹	Under Door Tactical System, 5" Tablet	4ft 11in (1.50M)	6.92lbs (3.14kg)
		7ft 9in (2.36M)	30.7lbs (13.9kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AB-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
 3) ZDV-D must be disconnected from the HDP-UDC to store in the case

Tactical System Options

HDTS-5AB-ZDV

Accessories - 5AB

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDT5-5AR-GC3-2.0IR



HD Baton Tactical System, 5" Rugged Tablet, BW Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AR-HD	5" Rugged Tablet, power supply, 32GB removable uSD card and Micro USB cable	7) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹
2) TABLET-5AR-SB	Spare battery for the tablet	8) BAT-15XL, 2 pcs	Extended battery for the handle
3) TABLET-5AR-BC	Dual bay battery charger for the tablet with power supply and NA (US) power cord	9) HDP-GC3	HD Baton, 1ft flexible gooseneck
4) TABLET-5A-PM	Pole mount for the tablet (not shown)	10) WPC-2.0IR-HD	HD Compact BW Camera with infrared illumination, 2" diameter
5) TABLET-5A-WM	Wrist-mount for the tablet	11) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
6) WPH-HD	Wireless Pole Handle	12) WPH-USB	USB adapter cable for wired connection to tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ² COLLAPSED/EXTENDED	ASSEMBLED WEIGHT ³ PACKED CASE WEIGHT
HDT5-5AR-GC3-2.0IR ¹	HD Baton Tactical System, 5" Rugged Tablet, BW Camera	1ft 7.4in (0.49M)	4.77lbs (2.16kg)
		3ft 4.2in (1.02M)	30.7lbs (13.9kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AR-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, baton, camera and battery
3) Add .98lbs (.44kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDS-5AR-GC3-2.0IR

Accessories - 5AR

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle
TABLET-5AR-SB	Battery for the tablet

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.

Tactical Systems

HDT5-5AB-GC3-2.0IR



HD Baton Tactical System, 5" Tablet, BW Camera

SYSTEM CONTENTS	DESCRIPTION	SYSTEM CONTENTS	DESCRIPTION
1) TABLET-5AB-HD	5" Tablet, power supply, 32GB removable uSD card and Micro USB cable and earbuds	6) BAT-15XL, 2 pcs	Extended battery for the handle
2) TABLET-5A-PM	Pole mount for the tablet (not shown)	7) HDP-GC3	HD Baton, 1ft flexible gooseneck
3) TABLET-5A-WM	Wrist-mount for the tablet	8) WPC-2.0IR-HD	HD Compact BW Camera with infrared illumination, 2" diameter
4) WPH-HD	Wireless Pole Handle	9) HDUS-CASE	Hard carry case, measuring 57.7in x 12.7in x 6.7in (148 x 32 x 17cm), 20 lbs (9.1kg) empty
5) LBC	Battery charger with power supply, vehicle adapter, NA (US) power cord ¹	10) WPH-USB	USB adapter cable for a wired connection to the tablet

Ordering Information

SYSTEM PART NUMBER	DESCRIPTION	ASSEMBLED LENGTH ²	ASSEMBLED WEIGHT ³
		COLLAPSED/EXTENDED	PACKED CASE WEIGHT
HDT5-5AB-GC3-2.0IR ¹	HD Baton Tactical System, 5" Rugged Tablet, BW Camera	1ft 7.4in (0.49M)	4.77lbs (2.16kg)
		3ft 4.2in (1.02M)	28.6lbs (13.0kg)

NOTES:

1) Order international power cord kit separately at no charge using HDXX-5AB-YY, where YY = EU (Europe), UK (United Kingdom), CH (China), JP (Japan), AU (Australia), SW (Switzerland), SA (South Africa)

2) Assembled length includes handle, pole, camera and battery
 3) Add .64lbs (.29kg) for pole mounted tablet (mount plus tablet)

Tactical System Options

HDS-5AB-GC3-2.0IR

Accessories - 5AB

MODEL	DESCRIPTION
BAT-15XL	Extended battery pack for the ZistosHD Handle

Cameras

MODEL	DESCRIPTION
WPC-2.0IR-HD ¹	HD Compact BW Camera with infrared illumination ¹
ULC-2.0IR-HD ¹	HD Ultra Low-light BW Camera with infrared illumination and internal microphone ¹
WPC-2.5ZIR-HD ¹	HD 10X Zoom Camera with infrared illumination and internal microphone ¹
THC-51D-HD	Dual Mode Thermal Camera with integrated BW camera and internal microphone
ZDV-CP-HD	Under-the-Door Camera Kit with camera, internal microphone, cable and pole
TTW-HD	Through-The-Wall Camera Kit

Tablets

MODEL	DESCRIPTION
TABLET-5AR-HD-KIT	Additional 5" Rugged Tablet with charger and second battery to add in system case
TABLET-5AB-HD-KIT	Additional 5" Tablet with charger to add in system case
TABLET-10A-BC-KIT	Additional 10" Rugged Tablet with charger and second battery to add in system case
TABLET-10A-KIT	Additional 10" Rugged Tablet with spare battery in its own case, measuring 13.4in x 11.6in x 6.0in (34cm x 29.5cm x 15.2cm)

Poles/Cables

MODEL	DESCRIPTION
HDP-FC17	17ft (5M) System Friction Hinge Pole
HDP-FC11	11ft (3M) System Friction Hinge Pole
HDP-MC23	23ft (7M) System Motorized Pole
HDP-MC35	35ft (10M) System Motorized Pole
HDP-MC16	16ft (5M) System Motorized Pole
HDP-MC10	10ft (3M) System Motorized Pole
HDP-MC6	6ft (2M) System Motorized Pole
HDP-GC3	HD Baton with 1ft (0.3M) flexible gooseneck
VPC-XX-HD	Camera cable, where XX is the length. Available sizes are 6ft (2M), 33ft (10M), 66ft (20M), 100ft (30M)
RR-166-HD	166ft (50M) Camera cable on a reel

NOTES:

- 1) Also available in color with white light illumination
- 2) A system case can accommodate a second pole and 1 or 2 additional cameras, depending upon the model combinations. Consult the factory.